

PATTERN LATTICE AS A MODEL OF LINGUISTIC KNOWLEDGE AND PERFORMANCE

Kow KURODA

National Institute of Information and Communication Technologies (NICT), Japan

**The 23rd Pacific Asia Conference on Language, Information and
Computation (PACLIC 23)**

City University of Hong Kong, 2009/12/04

UNCOMFORTABLE QUESTIONS

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) find no trouble in understanding noisy, incomplete, and even inconsistent input?

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?
- Why is **nonnativeness so obvious** to native speakers?

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?
- Why is **nonnativeness so obvious** to native speakers?
- Why is people's speech **so stereotypical?**

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?
- Why is **nonnativeness so obvious** to native speakers?
- Why is people's speech **so stereotypical?**
- Why is the distribution data **so sparse?**

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?
- Why is **nonnativeness so obvious** to native speakers?
- Why is people's speech **so stereotypical?**
- Why is the distribution data **so sparse?**
- Why does **example-based machine translation work?**

UNCOMFORTABLE QUESTIONS

- Why do people (seem to) **find no trouble in understanding noisy, incomplete, and even inconsistent input?**
- Why are **collocations and constructions** so important?
- Why is **nonnativeness so obvious** to native speakers?
- Why is people's speech **so stereotypical?**
- Why is the distribution data **so sparse?**
- Why does **example-based machine translation work?**
- Why does **statistics matter** after all?

BURNING QUESTION

- These questions seem to boil down to a single question:
 - How does human linguistic memory work?
- This present work addresses a specific question (after Port 2007):
 - What if human has **all instances** of linguistic expressions **stored in vast (implicit) memory** (and virtually no expressions are generated in recognition process)?
- Caveat:
 - This work addresses only questions about comprehension, and will not discuss production.

STRATEGY

- I know this idea is **crazy**, and completely against the traditional wisdom of (theoretical) linguistics after Chomskian revolution.
- Yet **I take an extreme position** in my theorizing
 - with concerns of:
 - making it easier to draw nontrivial conclusions, and
 - making predictions easier to falsify.
 - and from awareness that **human memories are (still) far from well understood.**

REMARK ON HUMAN MEMORY

- I assume the distinguish between two components/subsystems of human memory, i.e.:
 - **storage** of records and
 - **remembering/recall/retrieval** of stored records.
- There is a striking asymmetry between the two:
 - **Severe limitations on (explicit) remembering,**
 - especially constraints on working memories (Miller's (1956) magical number 7 ± 2)
 - Virtually **no limits on storage:** this is a suggestion from recent findings in hyperthymestic syndrome (Parker et al. 2006)

OUTLINE

- **Superposition of patterns can implement composition.**
- **Pattern lattice** (PL) defines a hierarchy of superlaxical patterns used in superposition
 - **simulated parallel error-correction** (SPEC) under pattern lattice provides a better account of “construction effects” (Goldbeg 1995, 2006).
- Pattern lattice model (PLM) allows us to conceive of grammar of language as a **management system** rather than as a **generative system**.
- Conclusions

WHY NOT SUPERPOSITION?

WHY SUBSTITUTION?

- In virtually all linguistic theories, **composition is implemented by substitution.**
- Yet **there is no conceptual necessity for this**: superposition can **do it**, too.
- and it does so with several desirable features.
 - Remark: Conception of composition as substitution **has a long, strong tradition** (e.g. proof theory crucially relies on it (cf. production system (Post 1943)), but **this is a different matter.**

SUBSTITUTION

A

B


C

X

Y

Z

SUBSTITUTION



SUBSTITUTION

B

A


Y

Z


C

||


SUBSTITUTION




SUBSTITUTION



SUBSTITUTION



SUBSTITUTION (RESULT)



DESIRABLE PROPERTIES

- Representation of items (to be inserted) can be **context-free** and **redundancy-free**.
- Host structures can be defined **freely but systematically** if they are defined by something called “grammar.”
 - This can answer the problem of human creativity.
- In essence, substitutional model **guarantees economy and generalization**
 - but only in terms of description load, and if computational time is counted as a resource, the conclusion should be different.


SUPERPOSITION

- C is superposition of $A = a_1 \cdot a_2 \cdot \dots \cdot a_m$ and $B = b_1 \cdot b_2 \cdot \dots \cdot b_n$ iff:
 - I. A and B have the same number of segments ($m = n$: equi-cardinality)
 - II. either $a_i = b_i$ or **instance-of(a_i, b_i)** or **instance-of(b_i, a_i)** holds for every i .
 - If II holds, it is **superposition without specification overrides**.
 - If II is violated, it is **superposition with specification overrides**.
- Note: a is an instance of b iff a is an underspecification of b .
- It is trivial to implement superposition using feature structure.


RELEVANT TERMINOLOGY

- Superposition without overrides is (a special case of) **unification**.
- Superposition with overrides is (a special case of) **blending** in the sense of Fauconnier & Turner (1996, *et seq.*)
 - The latter case can **deal with inconsistencies** (e.g., conflicts in feature specification) between source structures, which is not allowed in the former.


SUPERPOSITION




SUPERPOSITION




SUPERPOSITION




SUPERPOSITION




SUPERPOSITION (RESULT I)




SUPERPOSITION (RESULT2)



SUPERPOSITION (RESULT3)



SUPERPOSITION (RESULTS)



Note:

- Results 1, 2 and 3 are not mutually exclusive, and there is no reason to choose one of them.
- In other words, uniqueness of sources is not guaranteed in superposition.

ROLE OF REDUNDANCIES

- No superposition is possible if there are no redundancies in item representations.
- Implications:
 - Phrase structure analysis under the **principle of proper analysis** is a roundabout to superposition.
 - Theoretically, superposition over a set of phrase structures is possible (e.g., Sadock's *Autolexical Syntax* (1991)), but it usually gets more complicated than superposition of (flat) patterns.

DESIRABLE PROPERTIES

- Superposition **does not require proper analysis**,
 - and **phrase structure analysis**, either.
- Yet superposition
 - allows **composition without host structures**,
 - allows **composition under overlaps** over elements with redundancies,
 - and solves “bracketing paradox” (Spencer 1988) automatically

EXAMPLES OF OVERLAP

- In morphology: **generative grammarian** (bracketing paradox Spencer 1988)
 - superposition of [u_1 generative] [u_2 grammar] and [u_2 grammar] [u_3 -ian]
- In syntax: **an easy book to read** (discontinuous constituent in McCawley 1988)
 - superposition of [u_1 an] [u_2 easy] [u_3 book] and [u_2 easy] [u_3 ...] [u_4 to] [u_5 read] with overlaps at u_2 and u_3 .
- Remark:
 - overlap is involved in most cases in which syntactic movement is necessary.

COMPARISON

	Substitution	Superposition
item encoding and generativity	context-free	context-sensitive
memory load	minimum	maximum
size of lexicon	minimum	maximum
overlaps	can't handle	can handle
relation of semantics to syntax	extrinsic	intrinsic

SUMMARY OF PART I

- Superposition can implement composition properly.
 - Simply, composition **need not** be implemented by substitution.
 - Superpositional model of composition **can be computational** if superposition is properly defined as a formal operation.
- Superposition is desirable if we target overlapping phenomena.
 - Overlapping is far from well understood but is ubiquitous, and is likely to **have been overlooked due to linguist's (naïve) belief in proper analysis.**

WHERE DO PATTERNS COME FROM?

PATTERN LATTICE MODEL IN A NUTSHELL

NEW BURNING QUESTION

- You may ask:
 - Alright, I understood that patterns have desirable properties, but **where do patterns come from** after all?
 - **Aren't they generated by grammar or something like that?**
- My answers:
 - Pattern lattice (PL) over language L works as a generator of patterns.
 - This makes the challenge by the second question unsuccessful.

DEFINITION OF PL

- Pattern lattice is a complete lattice over a sequence of units with a fixed number n (i.e., patterns of length n) under the instance-of relation.
- An expression (including pattern) $E = e_1 \cdot e_2 \cdots e_m$ (e_i denotes the i th segment of E) is an instance of pattern $P = p_1 \cdot p_2 \cdots p_n$ (p_i denotes the i th segment of P) if and only if:
 - A. E and P have the same number of segments (i.e., $m=n$).
 - B. either $e_i = p_i$ or **instance-of**(e_i, p_i) holds for every i .

EXAMPLE I

- Take (I) for example:

(I) **Ann sent Bill a letter.**

•


EXAMPLE I

- Suppose (I) has 4 segments.
 - [**Ann, sent, Bill, a letter**]
- Remark:
 - I just assume that this segmentation with four segments is (nearly) optimal.
 - Its optimality is not justified intrinsically in the PLM. It needs to be justified extrinsically either by relying on unsupervised classification/learning methods or more radically stochastic methods like Monte Carlo simulation.

AT THE BOTTOM

Ann sent Bill a letter


DECOMPOSITION INTO PATTERNS



- Decomposition introduces variables denoted by “_”. In general, expression E of size n has m **immediate components** when it has m constants in it ($m \leq n$).


- [Ann, sent, Bill, _], [Ann, sent, _, a letter], [Ann, _ Bill, a letter], and [_ , sent, Bill, a letter] are immediate components of [Ann, sent, Bill, a letter] = (1).

DECOMPOSITION INTO PATTERNS




[Ann, sent, _, _], [Ann, _, Bill, _], and [_, sent, Bill, _] are **immediate components** of [Ann, sent, Bill, _], and so on.

DECOMPOSITION INTO PATTERNS




[Ann, _, _, _] and [_, sent, _, _] are **immediate components** of [Ann, sent, _, _], and so on.

PATTERN LATTICE BUILT FOR (I)




[_, _, _, _] is **the only immediate component** of [Ann, _, _, _], [_ sent, _, _], [_, _, Bill, _], and [_, _, _, a letter].

PATTERN LATTICE BUILT FOR (I)




[_, _, _, _] is **the only immediate component** of [Ann, -, -, -], [-, sent, -, -], [-, -, Bill, -], and [-, -, -, a letter].

PATTERN LATTICE BUILT FOR (I)




$[-, -, -, -]$ is **the only immediate component** of $[Ann, -, -, -]$, $[-, sent, -, -]$, $[-, -, Bill, -]$, and $[-, -, -, a letter]$.

CONSTITUENCY




Equivalents of constituents **are implicitly specified**: they are simply patterns that contain only continuous constants.

CONSTITUENCY



Equivalents of constituents **are implicitly specified**: they are simply patterns that contain only continuous constants.

IN SIMPLIFIED FORM



variable sequences are simplified.

EXAMPLE 2

- Suppose we have other two examples (2) and (3) with 4 segments:

(1) [**Ann**, sent, **Bill**, a letter]

(2) [**Ann**, faxed, **Bill**, a letter]

(3) [**Carol**, sent, **Bill**, a letter]

EXAMPLE 2

- Suppose we have other two examples (2) and (3) with 4 segments:

(1) [Ann, sent, Bill, a letter]

(2) [Ann, faxed, Bill, a letter]


(3) [Carol, sent, Bill, a letter]

- Note:

- Goldberg (1995) treated (2) as an example of Ditransitive Construction.

Pattern lattice for (1), (2) and (3) with 4 segments


- Built using Pattern Lattice Builder (PLB) available at <http://www.kotonoba.net/rubyfca/pattern>
- Represented in simplified form.
- Color temperature encodes relative productivity of patterns (in terms of z-score for rank).
- (1) is one of (2)'s most similar instances due to pattern [Ann, _, Bill, a letter] or [_, _, Bill, a letter].



SIMULATED PARALLEL ERROR-CORRECTION


- SPEC (see my paper for details) is proposed as a mechanism for semantic interpretation of a given expression E that **works in the same way as example-based machine translation works** (EBMT: Sato & Nagao 1993).
- Basic correspondences:
 - Input expressions in SPEC correspond to expressions of source language in EBMT.
 - Superlexical (usually, sentential) semantics in SPEC correspond to expressions of target language (i.e., translations) in EBMT.
- Differently put, EBMT is a version of SPEC in that it equates semantic representations with expressions observed at surface.

HOW SPEC WORKS



- Introduced variables are regarded as **simulated errors** that need correction.
- Each simulated error is corrected by equating it with **the most likely constant** based on the distributions, identified due to **pattern completion**.
- Different superlexical patterns have different instantiation distributions! This is why some patterns have strong bias for particular variable, and others do not.

HOW SPEC WORKS



sites of simulated errors

- Introduced variables are regarded as **simulated errors** that need correction.
- Each simulated error is corrected by equating it with **the most likely constant** based on the distributions, identified due to **pattern completion**.
- Different superlexical patterns have different instantiation distributions! This is why some patterns have strong bias for particular variable, and others do not.

NONCOMPOSITIONALITY

- Under SPEC under PL, **superlexical semantics**, i.e., (expected) semantics of superlexical patterns, **is always preferred over lexical semantics**, i.e., semantics of lexical patterns.
 - Reason: Semantics of lexical patterns is accessed only when superlexical semantics at lower ranks turned out to be informative enough.
 - Roughly, SPEC equates the semantics of an expression E as an **expected semantics** over a set of instances similar enough to E .
- Claim: this gives the most straightforward account of why **collocations and constructions with noncompositional semantics are more important** in semantic interpretation.

SUMMARY OF PART II

- **No grammar is necessary for construction of a pattern lattice.**
 - All we need is a mechanism for segmentation and variable-introduction.
 - Note, however, that segmentation can be realized stochastically (using Monte Carlo method) or through unsupervised learning (using Hierarchical Bayes (Mochihashi et al. 2009)).
- SPEC under PL provides a straightforward account for effects of “constructions” without stipulating constructions *per se*.
 - **Basic tenets of Construction Grammar** (Fillmore 1988; Goldberg 1995) **are theoretical consequences of SPEC under PL:** they need not be stipulated as a doctrine.

DISCUSSION

WHAT WE CAN EXPECT

- A radically memory-based model of language is expected to
 - explain the **importance** of **collocations** (Sinclair 1991) or **multiword units/expressions** (Sag et al. 2002), and
 - better explain the effects of **constructions** (Fillmore 1988; Goldberg 1995, 2006) **with no stipulation** for constructions *per se*.
- and it is also expected to
 - explain the **formulaicity** of language (Wray 2002), and
 - explain the mysterious **survival of lower-frequency items** (my personal point of view)

WHAT IS GRAMMAR?

- PLM implements a **radically memory-based model** (RMBM) in which **virtually no instances are generated**.
 - A “new” expression E is recognized as superposition of patterns, p_1, p_2, \dots, p_n that usually have only partial matches on E .
- In a RMBM, grammar is best understood as a **management system** rather than a **generative system**.
 - In a vast memory system, **all instances need to be indexed for effective retrieval**: PL does this.
 - Trade-off between rapid and flexible enough responses and redundancies.

GOOD NEWS AND BAD NEWS

- Good news

- Radically memory-based models explain better (at least in terms of descriptive adequacy), and will provide implementations that perform better (at least in terms of precision).
- They will lay foundations for **usage-based model** (Bybee 2001, Langacker 1988, Tomasello 2003) and **example-based machine translation** (Sato & Nagao 1990).

- Bad news

- Language is not guaranteed to be as **systematic** as linguists want it to be.
- Memory-based models are **computationally expensive**, and **harder to implement** (at least for realistic performance).

CONCLUSIONS

- This talk
 - presented an alternative to traditional, **substitutional** model of linguistic syntax and semantics.
 - proposed superposition-based model called **pattern lattice model** (PLM) which is **both compositional and computational** and argues for a **radically memory-based view** of language in which grammar of language is conceived of as **memory-management system** rather than a generative system.
 - showed that PLM provides a natural account for “constructional meanings” without postulating constructions *per se*.

ACKNOWLEDGEMENTS

- The following people helped me in preparing this talk:
 - Yoichiro HASEBE (Doshisha University)
 - for implementation of Pattern Lattice Builder available at <http://www.kotonoba.net/rubyfca/pattern/>
 - Yasunari HARADA (Waseda University)
 - for insightful comments and suggestions
- This work was partly supported in part by Grant-in-Aid for Scientific Research (B) (19330156) (PI: Masanori Nakagawa, Tokyo Institute of Technology) from the Japan Society for the Promotion of Science

THANKS FOR YOUR
ATTENTION

APPENDICES

EXAMPLES OF OVERLAP 2

- 浮世絵師 (mundanity painter at Edo era) is superposition of $[u_1 \text{ 浮世 }][u_2 \text{ 絵 }]$ (mundanity pictures at Edo era) and $[u_2 \text{ 絵 }][u_3 \text{ 師 }]$ with overlap at u_2
- 投影像 (projective image) is superposition of $[u_1 \text{ 投 }][u_2 \text{ 影 }]$ (projection) and $[u_2 \text{ 影 }][u_3 \text{ 像 }]$ (image of shadow) with overlap at u_2 .
- Remark:
 - overlapping seems to be more frequent in head-final languages.

REFERENCES

- Bybee, J. L. (2001). *Phonology and Language Use*. Cambridge University Press.
- Fauconnier, G. R. & Turner, M. (1996). Blending as a central process of grammar. In Goldberg, A. D. (Ed.), *Conceptual Structure, Discourse, and Language*. CSLI.
- Fillmore, C. J. (1988). The mechanisms of Construction Grammar. In *BLS* 14: 35-55.
- Goldberg, A. D. (1995). *Constructions: A Construction Grammar Approach to Argument Structure*. University of Chicago Press.
- Goldberg, A. E. (2006). *Constructions at Work: The Nature of Generalizations in Language*. Oxford University.
- Langacker, R. W. (1987). *Foundations of Cognitive Grammar, Vol. 1*. Stanford University Press.
- Langacker, R. W. (1988). A usage-based model. In Rudzka-Ostyn, B. (Ed.), *Topics in Cognitive Linguistics*, pp. 127-161. John Benjamins.
- McCawley, J. D. (1988). *The Syntactic Phenomena in English, Vol. 2*. University of Chicago Press.
- Miller, G. A. (1956). The magical number seven, plus or minus two. *The Psychological Review* 63 (2): 81-97.
- Mochihashi, D., T. Yamada, and N. Ueda (2009). Bayesian unsupervised word segmentation with nested Pitman-Yor language modeling. In Proc. of the Joint Conf. of the 47th Annual Meeting of the ACL and the 4th Inter. Joint Conf. on NLP of the AFNLP, pp. 100-108.
- Parker, E. S., Cahill, L. & McGaugh, J. L. (2006). A case of unusual autobiographical remembering. *Neurocase* 12(1): 35-49.
- Port, R. (2007). How are words stored in memory? Beyond phones and phonemes. *New Ideas in Psychology* 25 (2): 143-170.
- Post, E. (1943). Formal reductions of the combinatorial decision problem. *Amer. J. of Mathematics* 65(2): 197-215.
- Sadock, J. (1991). *Autolexical Syntax*. University of Chicago Press.
- Sag, I., Baldwin, T., Bond, F., Copestake, A. & Flinckinger, D. (2002). Multiword expressions: A pain in the neck for NLP. In *Proc. of the 3rd Inter. Conf. on Intelligent Text Processing and Computational Linguistics*, pp. 1-15.
- Sato, S. & M. Nagao (1990). Toward memory-based translation. In *Proc. of The 3rd Inter. Conf. on Computational Linguistics*, pp. 247-252.
- Spencer, A. (1988). Bracketing paradoxes and the English lexicon. *Language* 64: 663-682.
- Tomasello, M. (2003). *Constructing a Language: A Usage-based Theory of Language Acquisition*. Harvard University Press.
- Wray, A. (2002). *Formulaic Language and the Lexicon*. Cambridge University Press.